

2021AF0026

---

---

---

---


---

---

---



TS7610038-2021



|       |   |
|-------|---|
| ..... | 1 |
| ..... | 2 |
| ..... | 2 |
| ..... | 3 |
| ..... | 9 |

|  |  |        |                    |
|--|--|--------|--------------------|
|  |  |        |                    |
|  |  |        |                    |
|  | S17A013301 / S17A013302  |        | 2020-12-02         |
|  |  |        | 91210112715754447D |
|  | 37   |        |                    |
|  |  |        |                    |
|  | 37   |        |                    |
|  |  |        |                    |
|  |  |        |                    |
|  |  |        |                    |
|  | 15   | 50 %RH |                    |
|  | TSG T7007-2016   |        | 1                  |
|  | GB 7588 2003   |        | 1                  |
|  | EN81-1:1998+A3 :2009 Safety rules for the construction and installation of lifts-part 1:Electric lifts |        |                    |
|  |  |        |                    |
|  | XPSQ2020120041AZNBG  |        |                    |

肖琳



1.

|   |      |                          |         |       |
|---|------|--------------------------|---------|-------|
|   |      |                          |         |       |
| 1 | Q6.1 | (1)<br>(2)<br>(3)<br>(4) |         | (4)   |
|   |      | ) Q6.2.4 (               |         |       |
|   |      | 2.1                      |         |       |
|   |      | 2.2                      | $1 g_n$ | $g_n$ |
|   |      | 2.3                      |         |       |

2 Q6.2

|



2.

2.1 0.50m/s, 450kg 1400kg

|   | m/s   | $g_n$ | $g_n$ | mm |
|---|-------|-------|-------|----|
| 1 | 0.609 | 0.348 | 0.512 | 54 |
| 2 | 0.592 | 0.312 | 0.452 | 57 |
| 3 | 0.633 | 0.290 | 0.440 | 70 |
| 4 | 0.615 | 0.262 | 0.391 | 74 |

2.2 0.50m/s, 1500kg 6700kg

|   | m/s   | $g_n$ | $g_n$ | mm |
|---|-------|-------|-------|----|
| 1 | 0.657 | 0.264 | 0.431 | 83 |


2.3 3.0m/s, 1500kg 6700kg

|   | m/s   | $g_n$ | $g_n$ | mm   |
|---|-------|-------|-------|------|
| 1 | 4.121 | 0.397 | 0.541 | 2180 |


2.4 3.0m/s, 2500kg 12000kg

|   | m/s   | $g_n$ | $g_n$ | mm   |
|---|-------|-------|-------|------|
| 1 | 4.094 | 0.255 | 0.406 | 3350 |
| 2 | 4.066 | 0.257 | 0.308 | 3279 |


2



3



4




2

0.50m/s,

1500kg

6700kg





3


3.0m/s,

1500kg


6700kg




2




3



4



3.



4.

/

---

1.

2.

---

---